

NUTRITIONAL STATUS OF IOWA STATE COLLEGE WOMEN

X. VITAMIN C METABOLISM
DURING CONTROLLED
EXERCISE

by

Jane Eronson

A Thesis Submitted to the Graduate Faculty
for the Degree of
MASTER OF SCIENCE

Major Subject: Nutrition

Approved:

Margaret A. Ohlson
In Charge of Major Work

P. Mabel Nelson
Head of Major Department

R. P. Buchanan
Dean of Graduate College

Iowa State College

TABLE OF CONTENTS

	Page
I. INTRODUCTION	1
II. REVIEW OF LITERATURE	5
A. Chemistry of Vitamin C	5
B. Occurrence and Functions of Vitamin C	6
C. Mechanism of Absorption of Vitamin C	8
D. Mechanism of Excretion of Vitamin C	8
E. Methods of Study of Requirement for Vitamin C	11
1. Capillary fragility	11
2. Urinary excretion	11
a. Twenty-four hour excretion of vitamin C	11
b. Saturation tests	15
c. Significance of saturation	19
3. Plasma values	20
4. Simultaneous plasma and urinary determinations for vitamin C	24
F. Adult Requirement for Vitamin C	24
G. Effect of Exercise on Requirement	27
III. EXPERIMENT	30
A. Subjects	30
B. Regimen	30
1. Basal diet	30
2. Activity	33
3. Other restrictions	33

	Page
C. Experimental Periods	34
D. Exercise	35
E. Additional Observations of Subjects	36
F. Chemical Determinations	36
1. Plasma ascorbic acid	38
2. Urinary excretion of ascorbic acid	39
3. Food ascorbic acid	41
4. Standardization of dye	44
5. Blood tests	47
6. Special precautions	47
IV. RESULTS	48
A. Tests of Normalcy of Subjects	48
B. Ascorbic Acid Studies	50
1. Plasma ascorbic acid	50
2. Urinary ascorbic acid	83
3. Food ascorbic acid	86
4. Respiratory infections	87
C. Diuretic Effect of Increased Ascorbic Acid Intake	88
D. Discussion	92
V. SUMMARY	94
VI. LITERATURE CITED	96
VII. ACKNOWLEDGMENTS	103
VIII. APPENDIX	104

LIST OF TABLES

Table No.	Page
1. Urinary Excretion of Ascorbic Acid as Reported in the Current Literature	13
2. Plasma Concentrations of Ascorbic Acid as Reported in the Current Literature	21
3. Typical Menus as Used from 1943 to 1944	31
4. Dosages of Vitamin Supplements Administered Daily	33
5. Ascorbic Acid Content of Blood Plasma	39
6. Preservative Used per 24-Hour Sample of Urine	40
7. Preservative Used per 50 gm. of Food	43
8. Standardization of Dye with Pure Ascorbic Acid Solutions of Known Concentration	45
9. Standardization of Dye with Pure Ascorbic Acid Solutions of Known Concentration	46
10. Age, Height, Weight, Average Blood Constants, and Basal Metabolism of Subjects	49
11. Protocol: Subject L. K.	51
12. Protocol: Subject M. T.	53
13. Protocol: Subject D. H.	57
14. Protocol: Subject B. E.	61
15. Protocol: Subject M. F.	64
16. Protocol: Subject E. C.	67
17. Protocol: Subject D. A.	70
18. Protocol: Subject R. P.	74
19. Protocol: Subject A. S.	77

Table No.	Page
20. Changes in Plasma Ascorbic Acid Concentrations During Exercise as Compared with Increasing Intakes of the Vitamin	81
21. Changes in Plasma Ascorbic Acid Concentrations During Exercise as Compared with Average Pre-Exercise Plasma Concentrations of the Vitamin .	82
22. Average Intake, Plasma Concentrations, and Urinary Excretion of Ascorbic Acid for All Subjects in Each Experimental Period	83
23. Excretion of a Test Dose of Crystalline Ascorbic Acid	85
24. Average Urinary Volume in 24 Hours for Each Subject in Each Experimental Period	89
25. Average 24-Hour Urinary Volume for All Subjects in Each Experimental Period	90
26. Average 24-Hour Urinary Volume for All Subjects on Basal Diet and on Basal Diet Supplemented with Crystalline Ascorbic Acid	91